

各健（検）診の集計

1. 総合健康診断（人間ドック）事業

1. 総合健康診断（人間ドック）事業

(1) 受診者数（年齢・性別）

年齢区分	性別	総合健診	子宮がん検査	乳がん検査	がん検診コース
29歳以下	男	5	0	0	0
	女	3	3	3	0
	計	8	3	3	0
30～34	男	26	0	0	0
	女	20	12	17	0
	計	46	12	17	0
35～39	男	176	0	0	0
	女	129	73	87	0
	計	305	73	87	0
40～44	男	331	0	0	0
	女	236	144	148	1
	計	567	144	148	1
45～49	男	494	0	0	3
	女	310	195	192	1
	計	804	195	192	4
50～54	男	582	0	0	9
	女	316	174	179	3
	計	898	174	179	12
55～59	男	706	0	0	8
	女	342	201	198	2
	計	1,048	201	198	10
60～64	男	611	0	0	8
	女	313	191	191	3
	計	924	191	191	11
65～69	男	438	0	0	11
	女	289	203	181	4
	計	727	203	181	15
70～74	男	308	0	0	6
	女	254	176	183	3
	計	562	176	183	9
75～79	男	58	0	0	7
	女	67	47	48	2
	計	125	47	48	9
80歳以上	男	60	0	0	0
	女	46	32	31	2
	計	106	32	31	2
合 計	男	3,795	0	0	52
	女	2,325	1,451	1,458	21
	計	6,120	1,451	1,458	73

(2) 検査項目別の成績

		性別	受診者数	判 定 区 分				
				正常	経過観察	要精検	要治療	治療継続
総 合 健 診	肥 満 度	男	3,795	76	0	2,239	0	1,480
		女	2,324	225	0	1,596	0	503
		計	6,119	301	0	3,835	0	1,983
	血 圧	男	3,795	1,784	818	54	10	1,129
		女	2,325	1,510	391	19	5	400
		計	6,120	3,294	1,209	73	15	1,529
	心 ・ 血 管	男	3,794	2,299	1,161	32	1	301
		女	2,324	1,681	520	30	0	93
		計	6,118	3,980	1,681	62	1	394
	耳 鼻 科	男	3,792	2,526	1,225	2	0	39
		女	2,323	1,865	403	3	0	52
		計	6,115	4,391	1,628	5	0	91
	気 管 ・ 肺	男	3,792	1,458	2,226	30	0	78
		女	2,315	1,366	866	23	0	60
		計	6,107	2,824	3,092	53	0	138
	眼 科	男	3,786	753	2,542	125	6	360
		女	2,313	452	1,463	66	0	332
		計	6,099	1,205	4,005	191	6	692
	上 部 消 化 管	男	3,669	1,472	1,914	77	24	182
		女	2,098	815	1,162	45	5	71
計		5,767	2,287	3,076	122	29	253	
糖 尿 病	男	3,795	1,510	1,811	87	27	360	
	女	2,325	1,199	1,029	30	3	64	
	計	6,120	2,709	2,840	117	30	424	
下 部 消 化 管	男	3,732	3,406	4	185	0	137	
	女	2,272	2,096	14	89	0	73	
	計	6,004	5,502	18	274	0	210	
脂 質	男	3,795	820	2,023	179	26	747	
	女	2,325	629	1,166	115	23	392	
	計	6,120	1,449	3,189	294	49	1,139	
肝 臓	男	3,794	1,094	2,552	102	1	45	
	女	2,325	1,345	928	39	0	13	
	計	6,119	2,439	3,480	141	1	58	
痛 風	男	3,795	2,731	551	51	6	456	
	女	2,323	2,286	29	2	0	6	
	計	6,118	5,017	580	53	6	462	
胆 の う ・ 膵	男	3,794	2,477	1,242	60	0	15	
	女	2,325	1,649	626	42	0	8	
	計	6,119	4,126	1,868	102	0	23	
貧 血	男	3,794	2,912	854	13	1	14	
	女	2,325	1,751	510	25	5	34	
	計	6,119	4,663	1,364	38	6	48	
腎 ・ 泌尿器	男	3,795	2,026	1,426	120	1	222	
	女	2,325	1,096	1,163	33	0	33	
	計	6,120	3,122	2,589	153	1	255	
がん検診コース	男	52	26	7	19	0	0	
	女	21	8	4	8	0	1	
	計	73	34	11	27	0	1	
婦人健診	子宮がん検査	女	1,451	1,062	264	106	1	18
	乳がん検査	女	1,458	977	325	156	0	0

(3) 項目別健診成績 (性別・年齢別)

年齢区分	性別	総合健診								
		血圧			心・血管			耳鼻科		
		経過観察	要精検	要治療	経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	2	0	0	1	0	0	0	0	0
	女	0	0	0	1	0	0	0	0	0
	計	2	0	0	2	0	0	0	0	0
30～34	男	7	0	0	10	0	0	2	0	0
	女	0	0	0	3	0	0	0	0	0
	計	7	0	0	13	0	0	2	0	0
35～39	男	38	3	2	38	0	0	10	0	0
	女	8	1	0	12	0	0	1	0	0
	計	46	4	2	50	0	0	11	0	0
40～44	男	76	4	0	64	1	0	23	0	0
	女	31	1	0	32	1	0	5	0	0
	計	107	5	0	96	2	0	28	0	0
45～49	男	102	9	3	115	6	0	69	0	0
	女	50	0	0	43	3	0	9	0	0
	計	152	9	3	158	9	0	78	0	0
50～54	男	155	11	1	150	5	0	98	0	0
	女	48	6	1	55	2	0	19	0	0
	計	203	17	2	205	7	0	117	0	0
55～59	男	147	18	2	207	3	0	197	1	0
	女	60	1	1	64	8	0	34	0	0
	計	207	19	3	271	11	0	231	1	0
60～64	男	116	2	1	216	6	1	261	0	0
	女	55	4	1	80	7	0	62	0	0
	計	171	6	2	296	13	1	323	0	0
65～69	男	101	4	0	174	6	0	248	1	0
	女	65	2	1	96	2	0	85	2	0
	計	166	6	1	270	8	0	333	3	0
70～74	男	56	2	1	131	4	0	215	0	0
	女	51	4	1	93	6	0	112	0	0
	計	107	6	2	224	10	0	327	0	0
75～79	男	12	0	0	26	1	0	48	0	0
	女	15	0	0	22	0	0	39	1	0
	計	27	0	0	48	1	0	87	1	0
80歳以上	男	6	1	0	29	0	0	54	0	0
	女	8	0	0	19	1	0	37	0	0
	計	14	1	0	48	1	0	91	0	0
合計	男	818	54	10	1,161	32	1	1,225	2	0
	女	391	19	5	520	30	0	403	3	0
	計	1,209	73	15	1,681	62	1	1,628	5	0

年齢区分	性別	総 合 健 診								
		気管・肺			眼 科			上部消化管		
		経過観察	要精検	要治療	経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	4	0	0	3	0	0	1	0	0
	女	2	0	0	2	0	0	3	0	0
	計	6	0	0	5	0	0	4	0	0
30～34	男	13	0	0	13	2	0	9	0	0
	女	4	0	0	9	0	0	6	0	0
	計	17	0	0	22	2	0	15	0	0
35～39	男	77	2	0	97	4	1	70	4	1
	女	33	0	0	65	7	0	59	1	0
	計	110	2	0	162	11	1	129	5	1
40～44	男	178	2	0	201	5	1	127	1	5
	女	55	1	0	128	4	0	102	5	0
	計	233	3	0	329	9	1	229	6	5
45～49	男	269	2	0	311	15	2	240	2	3
	女	94	1	0	208	7	0	156	5	1
	計	363	3	0	519	22	2	396	7	4
50～54	男	346	2	0	397	22	0	303	8	4
	女	115	1	0	235	9	0	148	3	1
	計	461	3	0	632	31	0	451	11	5
55～59	男	422	2	0	479	28	2	351	14	5
	女	117	5	0	221	10	0	168	12	0
	計	539	7	0	700	38	2	519	26	5
60～64	男	375	5	0	440	22	0	348	18	4
	女	119	2	0	202	9	0	178	7	1
	計	494	7	0	642	31	0	526	25	5
65～69	男	268	7	0	329	12	0	247	17	2
	女	119	4	0	177	10	0	151	6	1
	計	387	11	0	506	22	0	398	23	3
70～74	男	192	5	0	208	12	0	164	10	0
	女	137	7	0	161	8	0	131	4	1
	計	329	12	0	369	20	0	295	14	1
75～79	男	39	1	0	36	2	0	29	2	0
	女	43	2	0	34	2	0	39	1	0
	計	82	3	0	70	4	0	68	3	0
80歳以上	男	43	2	0	28	1	0	25	1	0
	女	28	0	0	21	0	0	21	1	0
	計	71	2	0	49	1	0	46	2	0
合 計	男	2,226	30	0	2,542	125	6	1,914	77	24
	女	866	23	0	1,463	66	0	1,162	45	5
	計	3,092	53	0	4,005	191	6	3,076	122	29

年齢区分	性別	総 合 健 診								
		糖尿病			下部消化管			脂 質		
		経過観察	要精検	要治療	経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	1	0	0	0	0	0	3	1	0
	女	0	0	0	0	0	0	1	0	0
	計	1	0	0	0	0	0	4	1	0
30～34	男	5	0	0	0	0	0	14	2	0
	女	3	0	0	0	1	0	5	0	0
	計	8	0	0	0	1	0	19	2	0
35～39	男	50	0	2	0	8	0	98	11	2
	女	31	1	0	4	8	0	55	3	0
	計	81	1	2	4	16	0	153	14	2
40～44	男	119	1	2	0	9	0	218	16	2
	女	71	1	0	3	10	0	106	6	1
	計	190	2	2	3	19	0	324	22	3
45～49	男	209	8	8	0	21	0	292	31	9
	女	95	0	1	0	13	0	134	8	3
	計	304	8	9	0	34	0	426	39	12
50～54	男	269	24	6	0	17	0	329	35	7
	女	117	2	1	1	9	0	186	15	2
	計	386	26	7	1	26	0	515	50	9
55～59	男	381	20	5	1	37	0	376	35	2
	女	167	3	1	1	11	0	208	24	4
	計	548	23	6	2	48	0	584	59	6
60～64	男	312	13	3	0	41	0	288	26	4
	女	159	6	0	3	4	0	169	25	6
	計	471	19	3	3	45	0	457	51	10
65～69	男	236	10	1	3	31	0	223	15	0
	女	171	7	0	1	19	0	147	16	2
	計	407	17	1	4	50	0	370	31	2
70～74	男	166	8	0	0	14	0	131	7	0
	女	144	4	0	1	8	0	119	16	5
	計	310	12	0	1	22	0	250	23	5
75～79	男	31	3	0	0	2	0	29	0	0
	女	38	6	0	0	3	0	22	2	0
	計	69	9	0	0	5	0	51	2	0
80歳以上	男	32	0	0	0	5	0	22	0	0
	女	33	0	0	0	3	0	14	0	0
	計	65	0	0	0	8	0	36	0	0
合 計	男	1,811	87	27	4	185	0	2,023	179	26
	女	1,029	30	3	14	89	0	1,166	115	23
	計	2,840	117	30	18	274	0	3,189	294	49

年齢区分	性別	総 合 健 診								
		肝 臓			痛 風			胆のう・膵		
		経過観察	要精検	要治療	経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	4	1	0	1	0	0	1	0	0
	女	1	0	0	0	0	0	0	0	0
	計	5	1	0	1	0	0	1	0	0
30～34	男	12	1	0	4	2	0	6	0	0
	女	5	0	0	0	0	0	2	0	0
	計	17	1	0	4	2	0	8	0	0
35～39	男	99	2	0	34	3	0	42	2	0
	女	32	3	0	2	0	0	25	1	0
	計	131	5	0	36	3	0	67	3	0
40～44	男	222	12	0	69	6	1	78	2	0
	女	67	3	0	2	1	0	40	2	0
	計	289	15	0	71	7	1	118	4	0
45～49	男	342	16	1	78	10	2	146	2	0
	女	119	2	0	3	0	0	61	3	0
	計	461	18	1	81	10	2	207	5	0
50～54	男	401	23	0	96	11	0	206	6	0
	女	125	7	0	5	1	0	88	2	0
	計	526	30	0	101	12	0	294	8	0
55～59	男	504	18	0	108	11	1	230	14	0
	女	160	12	0	5	0	0	81	6	0
	計	664	30	0	113	11	1	311	20	0
60～64	男	416	14	0	75	1	1	203	12	0
	女	145	6	0	7	0	0	83	6	0
	計	561	20	0	82	1	1	286	18	0
65～69	男	295	8	0	54	6	1	167	9	0
	女	123	4	0	0	0	0	110	5	0
	計	418	12	0	54	6	1	277	14	0
70～74	男	185	6	0	25	1	0	118	9	0
	女	108	1	0	3	0	0	97	11	0
	計	293	7	0	28	1	0	215	20	0
75～79	男	36	1	0	4	0	0	25	0	0
	女	26	0	0	2	0	0	25	1	0
	計	62	1	0	6	0	0	50	1	0
80歳以上	男	36	0	0	3	0	0	20	4	0
	女	17	1	0	0	0	0	14	5	0
	計	53	1	0	3	0	0	34	9	0
合 計	男	2,552	102	1	551	51	6	1,242	60	0
	女	928	39	0	29	2	0	626	42	0
	計	3,480	141	1	580	53	6	1,868	102	0

年齢区分	性別	総 合 健 診					
		貧 血			腎・泌尿器		
		経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	2	0	0	3	0	0
	女	0	0	0	1	0	0
	計	2	0	0	4	0	0
30～34	男	5	0	0	5	0	0
	女	4	0	0	11	0	0
	計	9	0	0	16	0	0
35～39	男	42	1	0	59	2	0
	女	25	2	0	65	3	0
	計	67	3	0	124	5	0
40～44	男	84	1	0	117	3	0
	女	70	5	3	114	3	0
	計	154	6	3	231	6	0
45～49	男	113	0	0	172	10	0
	女	76	9	1	160	6	0
	計	189	9	1	332	16	0
50～54	男	156	2	0	226	12	0
	女	78	6	1	162	4	0
	計	234	8	1	388	16	0
55～59	男	155	2	0	261	26	0
	女	64	0	0	169	5	0
	計	219	2	0	430	31	0
60～64	男	124	2	0	243	25	1
	女	56	0	0	149	2	0
	計	180	2	0	392	27	1
65～69	男	78	0	0	162	25	0
	女	56	1	0	130	4	0
	計	134	1	0	292	29	0
70～74	男	59	5	0	128	11	0
	女	53	0	0	139	3	0
	計	112	5	0	267	14	0
75～79	男	16	0	0	27	2	0
	女	16	1	0	41	1	0
	計	32	1	0	68	3	0
80歳以上	男	20	0	1	23	4	0
	女	12	1	0	22	2	0
	計	32	1	1	45	6	0
合 計	男	854	13	1	1,426	120	1
	女	510	25	5	1,163	33	0
	計	1,364	38	6	2,589	153	1

年齢区分	性別	婦 人 健 診						がん検診コース		
		子宮がん検査			乳がん検査			経過観察	要精検	要治療
		経過観察	要精検	要治療	経過観察	要精検	要治療			
29歳以下	男	0	0	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0	0	0
30～34	男	0	0	0	0	0	0	0	0	0
	女	0	2	0	4	6	0	0	0	0
	計	0	2	0	4	6	0	0	0	0
35～39	男	0	0	0	0	0	0	0	0	0
	女	10	3	0	22	12	0	0	0	0
	計	10	3	0	22	12	0	0	0	0
40～44	男	0	0	0	0	0	0	0	0	0
	女	19	12	1	48	18	0	0	0	0
	計	19	12	1	48	18	0	0	0	0
45～49	男	0	0	0	0	0	0	0	1	0
	女	48	16	0	47	36	0	0	1	0
	計	48	16	0	47	36	0	0	2	0
50～54	男	0	0	0	0	0	0	2	0	0
	女	51	18	0	43	25	0	1	0	0
	計	51	18	0	43	25	0	3	0	0
55～59	男	0	0	0	0	0	0	1	1	0
	女	39	16	0	46	22	0	0	1	0
	計	39	16	0	46	22	0	1	2	0
60～64	男	0	0	0	0	0	0	2	2	0
	女	35	11	0	39	13	0	1	0	0
	計	35	11	0	39	13	0	3	2	0
65～69	男	0	0	0	0	0	0	1	6	0
	女	32	8	0	35	10	0	1	2	0
	計	32	8	0	35	10	0	2	8	0
70～74	男	0	0	0	0	0	0	1	4	0
	女	23	13	0	28	10	0	0	1	0
	計	23	13	0	28	10	0	1	5	0
75～79	男	0	0	0	0	0	0	0	5	0
	女	5	5	0	10	3	0	0	2	0
	計	5	5	0	10	3	0	0	7	0
80歳以上	男	0	0	0	0	0	0	0	0	0
	女	2	2	0	3	1	0	1	1	0
	計	2	2	0	3	1	0	1	1	0
合 計	男	0	0	0	0	0	0	7	19	0
	女	264	106	1	325	156	0	4	8	0
	計	264	106	1	325	156	0	11	27	0