

各健（検）診の集計

1. 総合健康診断（人間ドック）事業

1. 総合健康診断（人間ドック）事業

（1）受診者数（年齢・性別）

年齢区分	性別	総合健診	子宮がん検査	乳がん検査	がん検診コース
29歳以下	男	5	0	0	0
	女	2	1	1	0
	計	7	1	1	0
30～34	男	20	0	0	1
	女	28	18	18	1
	計	48	18	18	2
35～39	男	155	0	0	1
	女	119	63	71	1
	計	274	63	71	2
40～44	男	315	0	0	1
	女	247	163	172	0
	計	562	163	172	1
45～49	男	486	0	0	5
	女	373	224	219	1
	計	859	224	219	6
50～54	男	595	0	0	3
	女	378	217	206	3
	計	973	217	206	6
55～59	男	648	0	0	6
	女	352	212	202	0
	計	1,000	212	202	6
60～64	男	591	0	0	6
	女	301	188	178	2
	計	892	188	178	8
65～69	男	446	0	0	6
	女	268	166	155	3
	計	714	166	155	9
70～74	男	308	0	0	9
	女	271	171	166	4
	計	579	171	166	13
75～79	男	90	0	0	3
	女	60	30	39	2
	計	150	30	39	5
80歳以上	男	41	0	0	2
	女	29	17	19	0
	計	70	17	19	2
合計	男	3,700	0	0	43
	女	2,428	1,470	1,446	17
	計	6,128	1,470	1,446	60

(2) 検査項目別の成績

		性別	受診者数	判 定 区 分				
				正常	経過観察	要精検	要治療	治療継続
総 合 健 診	肥 満 度	男	3,698	86	0	2,169	0	1,443
		女	2,428	248	0	1,633	0	547
		計	6,126	334	0	3,802	0	1,990
	血 圧	男	2,428	1,468	500	28	7	425
		女	3,700	1,549	939	46	11	1,155
		計	6,128	3,017	1,439	74	18	1,580
	心 ・ 血 管	男	2,428	1,846	466	33	0	83
		女	3,700	2,321	1,057	21	2	299
		計	6,128	4,167	1,523	54	2	382
	耳 鼻 科	男	2,427	1,995	383	1	0	48
		女	3,698	2,428	1,230	4	1	35
		計	6,125	4,423	1,613	5	1	83
	気 管 ・ 肺	男	2,420	1,610	726	13	0	71
		女	3,697	1,683	1,910	20	0	84
		計	6,117	3,293	2,636	33	0	155
	眼 科	男	2,418	511	1,494	64	0	349
		女	3,690	742	2,523	87	1	337
		計	6,108	1,253	4,017	151	1	686
	上 部 消 化 管	男	2,181	768	1,307	25	4	77
		女	3,550	1,350	1,989	45	12	154
計		5,731	2,118	3,296	70	16	231	
糖 尿 病	男	2,428	1,396	940	25	4	63	
	女	3,700	1,561	1,682	69	16	372	
	計	6,128	2,957	2,622	94	20	435	
下 部 消 化 管	男	2,355	2,157	18	85	0	95	
	女	3,633	3,341	20	181	0	91	
	計	5,988	5,498	38	266	0	186	
脂 質	男	2,428	690	1,176	113	12	437	
	女	3,700	802	1,880	203	15	800	
	計	6,128	1,492	3,056	316	27	1,237	
肝 臓	男	3,700	1,156	2,357	148	1	38	
	女	2,428	1,413	950	46	0	19	
	計	6,128	2,569	3,307	194	1	57	
痛 風	男	3,696	2,680	457	44	9	506	
	女	2,427	2,384	36	2	0	5	
	計	6,123	5,064	493	46	9	511	
胆 の う ・ 膵	男	3,700	2,305	1,319	65	0	11	
	女	2,428	1,689	694	36	0	9	
	計	6,128	3,994	2,013	101	0	20	
貧 血	男	3,700	2,761	908	18	0	13	
	女	2,428	1,817	543	27	2	39	
	計	6,128	4,578	1,451	45	2	52	
腎 ・ 泌尿器	男	3,700	1,971	1,345	154	0	230	
	女	2,428	1,176	1,188	35	0	29	
	計	6,128	3,147	2,533	189	0	259	
がん検診コース	男	43	19	10	14	0	0	
	女	17	11	3	3	0	0	
	計	60	30	13	17	0	0	
婦人健診	子宮がん検査	女	1,470	1,038	290	110	0	32
	乳がん検査	女	1,446	966	329	150	1	0

(3) 項目別健診成績 (性別・年齢別)

年齢区分	性別	総合健診								
		血圧			心・血管			耳鼻科		
		経過観察	要精検	要治療	経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	9	1	0	19	1	0	28	0	0
	女	3	0	0	22	1	0	33	0	0
	計	12	1	0	41	2	0	61	0	0
30～34	男	9	1	0	10	0	0	21	0	0
	女	3	0	0	1	0	0	0	0	0
	計	12	1	0	11	0	0	21	0	0
35～39	男	0	0	0	0	0	0	0	0	0
	女	5	0	0	6	0	0	2	0	0
	計	5	0	0	6	0	0	2	0	0
40～44	男	2	0	0	6	0	0	0	0	0
	女	38	1	1	20	0	0	9	0	0
	計	40	1	1	26	0	0	9	0	0
45～49	男	11	1	0	10	0	0	3	0	0
	女	92	2	2	75	2	0	26	0	0
	計	103	3	2	85	2	0	29	0	0
50～54	男	47	2	0	30	3	0	3	0	0
	女	132	7	1	111	1	0	63	0	0
	計	179	9	1	141	4	0	66	0	0
55～59	男	62	2	0	38	4	0	13	0	0
	女	176	13	4	160	4	0	114	0	1
	計	238	15	4	198	8	0	127	0	1
60～64	男	78	8	3	75	3	0	25	0	0
	女	177	11	1	182	2	0	181	1	0
	計	255	19	4	257	5	0	206	1	0
65～69	男	75	3	2	61	6	0	35	0	0
	女	141	5	2	189	4	1	239	1	0
	計	216	8	4	250	10	1	274	1	0
70～74	男	64	3	0	62	3	0	49	1	0
	女	100	6	0	141	3	0	268	1	0
	計	164	9	0	203	6	0	317	2	0
75～79	男	73	4	2	64	6	0	80	0	0
	女	57	1	0	113	4	1	221	0	0
	計	130	5	2	177	10	1	301	0	0
80歳以上	男	70	3	0	91	7	0	126	0	0
	女	15	0	0	37	0	0	74	1	0
	計	85	3	0	128	7	0	200	1	0
合計	男	500	28	7	466	33	0	383	1	0
	女	939	46	11	1,057	21	2	1,230	4	1
	計	1,439	74	18	1,523	54	2	1,613	5	1

年齢区分	性別	総 合 健 診								
		気管・肺			眼 科			上部消化管		
		経過観察	要精検	要治療	経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	29	0	0	31	1	0	35	3	0
	女	26	0	0	20	0	0	22	1	1
	計	55	0	0	51	1	0	57	4	1
30～34	男	16	0	0	10	1	0	13	0	0
	女	4	1	0	3	0	0	1	0	0
	計	20	1	0	13	1	0	14	0	0
35～39	男	0	0	0	1	0	0	1	0	0
	女	11	0	0	11	1	0	7	0	0
	計	11	0	0	12	1	0	8	0	0
40～44	男	3	0	0	17	0	0	9	0	0
	女	62	1	0	76	1	0	65	1	0
	計	65	1	0	93	1	0	74	1	0
45～49	男	27	0	0	56	1	0	52	1	0
	女	133	1	0	182	7	0	130	1	3
	計	160	1	0	238	8	0	182	2	3
50～54	男	41	0	0	144	5	0	130	1	0
	女	243	1	0	322	12	0	245	3	1
	計	284	1	0	466	17	0	375	4	1
55～59	男	79	2	0	239	5	0	182	3	1
	女	304	2	0	398	11	1	338	3	1
	計	383	4	0	637	16	1	520	6	2
60～64	男	99	0	0	254	9	0	214	5	0
	女	339	1	0	456	22	0	352	7	2
	計	438	1	0	710	31	0	566	12	2
65～69	男	106	2	0	229	11	0	193	3	2
	女	310	6	0	439	11	0	341	14	1
	計	416	8	0	668	22	0	534	17	3
70～74	男	116	3	0	180	11	0	162	2	1
	女	240	5	0	322	15	0	266	6	2
	計	356	8	0	502	26	0	428	8	3
75～79	男	98	0	0	170	10	0	168	3	0
	女	185	2	0	224	5	0	181	6	0
	計	283	2	0	394	15	0	349	9	0
80歳以上	男	112	6	0	163	10	0	148	4	0
	女	53	0	0	70	2	0	41	3	1
	計	165	6	0	233	12	0	189	7	1
合 計	男	726	13	0	1,494	64	0	1,307	25	4
	女	1,910	20	0	2,523	87	1	1,989	45	12
	計	2,636	33	0	4,017	151	1	3,296	70	16

年齢区分	性別	総 合 健 診								
		糖尿病			下部消化管			脂 質		
		経過観察	要精検	要治療	経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	34	0	0	0	2	0	23	0	1
	女	23	1	0	0	1	0	12	0	0
	計	57	1	0	0	3	0	35	0	1
30～34	男	25	0	0	0	0	0	12	0	0
	女	2	0	0	0	1	0	5	0	0
	計	27	0	0	0	1	0	17	0	0
35～39	男	0	0	0	0	0	0	0	0	0
	女	3	0	0	0	0	0	10	3	0
	計	3	0	0	0	0	0	10	3	0
40～44	男	3	0	0	0	1	0	8	0	0
	女	39	1	2	1	6	0	95	9	1
	計	42	1	2	1	7	0	103	9	1
45～49	男	16	1	0	5	4	0	46	2	0
	女	109	3	1	1	5	0	177	35	3
	計	125	4	1	6	9	0	223	37	3
50～54	男	63	1	0	0	4	0	97	8	0
	女	181	7	3	2	21	0	285	32	4
	計	244	8	3	2	25	0	382	40	4
55～59	男	88	3	1	2	14	0	185	17	0
	女	250	15	4	2	24	0	325	46	2
	計	338	18	5	4	38	0	510	63	2
60～64	男	124	3	0	3	11	0	198	25	4
	女	309	15	1	3	36	0	335	24	2
	計	433	18	1	6	47	0	533	49	6
65～69	男	141	6	0	2	10	0	193	18	3
	女	317	13	2	3	37	0	265	22	2
	計	458	19	2	5	47	0	458	40	5
70～74	男	138	4	2	1	9	0	152	19	2
	女	230	8	2	4	25	0	212	19	0
	計	368	12	4	5	34	0	364	38	2
75～79	男	151	5	1	3	14	0	129	15	1
	女	172	5	0	3	16	0	118	10	1
	計	323	10	1	6	30	0	247	25	2
80歳以上	男	157	2	0	2	16	0	133	9	1
	女	47	1	1	1	9	0	41	3	0
	計	204	3	1	3	25	0	174	12	1
合 計	男	940	25	4	18	85	0	1,176	113	12
	女	1,682	69	16	20	181	0	1,880	203	15
	計	2,622	94	20	38	266	0	3,056	316	27

年齢区分	性別	総 合 健 診								
		肝 臓			痛 風			胆のう・膵		
		経過観察	要精検	要治療	経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	3	0	0	1	0	0	3	0	0
	女	0	0	0	0	0	0	0	0	0
	計	3	0	0	1	0	0	3	0	0
30～34	男	11	0	0	5	1	0	6	0	0
	女	9	0	0	1	0	0	4	0	0
	計	20	0	0	6	1	0	10	0	0
35～39	男	81	10	1	30	4	0	39	1	0
	女	25	4	0	2	0	0	23	2	0
	計	106	14	1	32	4	0	62	3	0
40～44	男	190	14	0	47	7	1	87	3	0
	女	63	3	0	1	0	0	50	1	0
	計	253	17	0	48	7	1	137	4	0
45～49	男	297	27	0	75	7	3	148	9	0
	女	127	7	0	3	0	0	97	3	0
	計	424	34	0	78	7	3	245	12	0
50～54	男	404	26	0	81	6	1	206	5	0
	女	154	9	0	6	0	0	96	4	0
	計	558	35	0	87	6	1	302	9	0
55～59	男	454	23	0	83	9	1	249	4	0
	女	154	10	0	9	0	0	107	6	0
	計	608	33	0	92	9	1	356	10	0
60～64	男	386	28	0	57	4	2	220	14	0
	女	138	3	0	1	0	0	85	3	0
	計	524	31	0	58	4	2	305	17	0
65～69	男	279	14	0	40	5	1	169	16	0
	女	128	5	0	5	0	0	96	5	0
	計	407	19	0	45	5	1	265	21	0
70～74	男	186	3	0	28	1	0	141	9	0
	女	122	4	0	6	2	0	98	12	0
	計	308	7	0	34	3	0	239	21	0
75～79	男	50	3	0	7	0	0	38	3	0
	女	21	1	0	2	0	0	27	0	0
	計	71	4	0	9	0	0	65	3	0
80歳以上	男	16	0	0	3	0	0	13	1	0
	女	9	0	0	0	0	0	11	0	0
	計	25	0	0	3	0	0	24	1	0
合 計	男	2,357	148	1	457	44	9	1,319	65	0
	女	950	46	0	36	2	0	694	36	0
	計	3,307	194	1	493	46	9	2,013	101	0

年齢区分	性別	総 合 健 診					
		貧 血			腎・泌尿器		
		経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	3	0	0	2	0	0
	女	0	0	0	2	0	0
	計	3	0	0	4	0	0
30～34	男	6	0	0	3	0	0
	女	6	0	0	9	0	0
	計	12	0	0	12	0	0
35～39	男	44	0	0	45	1	0
	女	23	2	0	64	1	0
	計	67	2	0	109	2	0
40～44	男	84	1	0	101	2	0
	女	71	6	1	114	0	0
	計	155	7	1	215	2	0
45～49	男	138	4	0	150	7	0
	女	110	7	0	191	4	0
	計	248	11	0	341	11	0
50～54	男	156	1	0	214	20	0
	女	96	7	1	197	5	0
	計	252	8	1	411	25	0
55～59	男	131	3	0	244	21	0
	女	69	0	0	166	12	0
	計	200	3	0	410	33	0
60～64	男	138	1	0	222	46	0
	女	48	0	0	135	3	0
	計	186	1	0	357	49	0
65～69	男	94	4	0	175	31	0
	女	48	2	0	130	1	0
	計	142	6	0	305	32	0
70～74	男	75	1	0	127	17	0
	女	55	1	0	134	7	0
	計	130	2	0	261	24	0
75～79	男	22	0	0	44	6	0
	女	9	1	0	31	1	0
	計	31	1	0	75	7	0
80歳以上	男	17	3	0	18	3	0
	女	8	1	0	15	1	0
	計	25	4	0	33	4	0
合 計	男	908	18	0	1,345	154	0
	女	543	27	2	1,188	35	0
	計	1,451	45	2	2,533	189	0

年齢区分	性別	婦 人 健 診						がん検診コース		
		子宮がん検査			乳がん検査			経過観察	要精検	要治療
		経過観察	要精検	要治療	経過観察	要精検	要治療			
29歳以下	男	0	0	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0	0	0
30～34	男	0	0	0	0	0	0	1	0	0
	女	0	1	0	5	4	0	0	0	0
	計	0	1	0	5	4	0	0	1	0
35～39	男	0	0	0	0	0	0	0	0	0
	女	3	3	0	26	6	0	0	1	0
	計	3	3	0	26	6	0	0	1	0
40～44	男	0	0	0	0	0	0	0	0	0
	女	19	19	0	38	20	0	0	0	0
	計	19	19	0	38	20	0	0	0	0
45～49	男	0	0	0	0	0	0	2	0	0
	女	58	24	0	73	36	0	0	0	0
	計	58	24	0	73	36	0	2	0	0
50～54	男	0	0	0	0	0	0	0	0	0
	女	60	22	0	39	22	0	0	0	0
	計	60	22	0	39	22	0	0	0	0
55～59	男	0	0	0	0	0	0	1	3	0
	女	46	16	0	37	19	0	0	0	0
	計	46	16	0	37	19	0	1	3	0
60～64	男	0	0	0	0	0	0	3	1	0
	女	39	9	0	36	13	1	1	0	0
	計	39	9	0	36	13	1	4	1	0
65～69	男	0	0	0	0	0	0	0	5	0
	女	26	5	0	29	10	0	1	0	0
	計	26	5	0	29	10	0	1	5	0
70～74	男	0	0	0	0	0	0	4	1	0
	女	29	9	0	33	18	0	1	1	0
	計	29	9	0	33	18	0	5	2	0
75～79	男	0	0	0	0	0	0	0	1	0
	女	6	0	0	8	1	0	0	1	0
	計	6	0	0	8	1	0	0	2	0
80歳以上	男	0	0	0	0	0	0	0	2	0
	女	4	2	0	5	1	0	0	0	0
	計	4	2	0	5	1	0	0	2	0
合 計	男	0	0	0	0	0	0	10	14	0
	女	290	110	0	329	150	1	3	3	0
	計	290	110	0	329	150	1	13	17	0