

## 各健（検）診の集計

### 1. 総合健康診断（人間ドック）事業

1. 総合健康診断（人間ドック）事業

(1) 受診者数（年齢・性別）

年齢区分	性別	総合健診	子宮がん検査	乳がん検査	がん検診コース
29歳以下	男	7	0	0	0
	女	8	5	3	0
	計	15	5	3	0
30～34	男	26	0	0	0
	女	27	14	14	2
	計	53	14	14	2
35～39	男	162	0	0	1
	女	132	78	81	2
	計	294	78	81	3
40～44	男	327	0	0	2
	女	266	146	148	2
	計	593	146	148	4
45～49	男	510	0	0	9
	女	352	191	185	1
	計	862	191	185	10
50～54	男	592	0	0	6
	女	414	215	219	5
	計	1,006	215	219	11
55～59	男	663	0	0	4
	女	392	193	183	4
	計	1,055	193	183	8
60～64	男	670	0	0	18
	女	360	186	180	2
	計	1,030	186	180	20
65～69	男	435	0	0	16
	女	275	167	151	4
	計	710	167	151	20
70～74	男	335	0	0	18
	女	262	156	139	5
	計	597	156	139	23
75～79	男	100	0	0	7
	女	72	27	40	0
	計	172	27	40	7
80歳以上	男	44	0	0	3
	女	31	18	17	1
	計	75	18	17	4
合 計	男	3,871	0	0	84
	女	2,591	1,396	1,360	28
	計	6,462	1,396	1,360	112

## (2) 検査項目別の成績

		性別	受診者数	判 定 区 分					
				正常	軽度異常	経過観察	要精検	要治療	治療継続
総 合 健 診	計 測	男	3,869	2,280	0	1,589	0	0	0
		女	2,591	1,715	0	876	0	0	0
		計	6,460	3,995	0	2,465	0	0	0
	血 圧	男	3,871	1,596	441	546	68	0	1,220
		女	2,591	1,623	237	243	28	0	460
		計	6,462	3,219	678	789	96	0	1,680
	心 電 図	男	3,870	2,533	2	1,099	31	6	199
		女	2,591	1,981	0	523	27	1	59
		計	6,461	4,514	2	1,622	58	7	258
	聴 力	男	3,871	2,626	0	1,234	0	0	11
		女	2,589	2,175	0	405	1	0	8
		計	6,460	4,801	0	1,639	1	0	19
	胸部・肺機能	男	3,871	1,237	498	1,942	95	3	96
		女	2,591	1,162	459	865	34	0	71
		計	6,462	2,399	957	2,807	129	3	167
	眼 科	男	3,866	505	115	2,859	154	2	231
		女	2,581	341	44	1,984	77	0	135
		計	6,447	846	159	4,843	231	2	366
	上 部 消 化 管	男	3,693	1,279	600	1,590	76	6	142
		女	2,315	741	652	837	19	2	64
計		6,008	2,020	1,252	2,427	95	8	206	
糖 代 謝	男	3,871	1,603	1,266	533	82	1	386	
	女	2,591	1,388	836	272	28	1	66	
	計	6,462	2,991	2,102	805	110	2	452	
便	男	3,798	3,581	0	27	184	0	6	
	女	2,524	2,428	0	17	78	0	1	
	計	6,322	6,009	0	44	262	0	7	
脂 質	男	3,871	729	941	1,162	187	0	852	
	女	2,591	503	630	838	108	1	511	
	計	6,462	1,232	1,571	2,000	295	1	1,363	
肝・胆・膵	男	3,871	1,618	646	1,356	220	0	31	
	女	2,591	1,697	187	619	68	0	20	
	計	6,462	3,315	833	1,975	288	0	51	
痛 風	男	3,871	2,717	449	150	34	1	520	
	女	2,591	2,545	29	8	0	0	9	
	計	6,462	5,262	478	158	34	1	529	
腹 部 超 音 波	男	3,870	1,396	7	2,337	109	1	20	
	女	2,590	1,293	4	1,215	76	0	2	
	計	6,460	2,689	11	3,552	185	1	22	
血 液	男	3,871	2,675	647	459	79	0	11	
	女	2,591	1,606	478	395	69	0	43	
	計	6,462	4,281	1,125	854	148	0	54	
尿・腎機能・前立腺	男	3,871	2,095	625	867	249	0	35	
	女	2,591	571	987	923	104	0	6	
	計	6,462	2,666	1,612	1,790	353	0	41	
がん検診コース	男	84	48	3	9	24	0	0	
	女	28	14	0	6	8	0	0	
	計	112	62	3	15	32	0	0	
婦人健診	子宮がん検査	女	1,396	1,031	157	103	97	0	8
	乳がん検査	女	1,360	879	46	268	167	0	0

## (3) 項目別健診成績 (性別・年齢別)

年齢区分	性別	総合健診								
		血圧			心電図			聴力		
		経過観察	要精検	要治療	経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	0	0	0	1	0	0	0	0	0
	女	0	0	0	2	0	0	0	0	0
	計	0	0	0	3	0	0	0	0	0
30～34	男	2	0	0	6	0	0	2	0	0
	女	1	0	0	4	0	0	1	0	0
	計	3	0	0	10	0	0	3	0	0
35～39	男	23	5	0	42	1	0	6	0	0
	女	4	1	0	24	0	0	2	0	0
	計	27	6	0	66	1	0	8	0	0
40～44	男	41	5	0	72	1	1	26	0	0
	女	11	1	0	40	0	0	7	0	0
	計	52	6	0	112	1	1	33	0	0
45～49	男	74	11	0	120	3	1	56	0	0
	女	32	3	0	57	4	0	8	0	0
	計	106	14	0	177	7	1	64	0	0
50～54	男	87	16	0	132	2	1	104	0	0
	女	38	8	0	81	7	0	27	0	0
	計	125	24	0	213	9	1	131	0	0
55～59	男	101	11	0	206	3	0	176	0	0
	女	30	5	0	72	3	0	40	1	0
	計	131	16	0	278	6	0	216	1	0
60～64	男	97	8	0	187	6	2	269	0	0
	女	41	3	0	74	3	0	59	0	0
	計	138	11	0	261	9	2	328	0	0
65～69	男	59	5	0	148	1	1	238	0	0
	女	38	3	0	64	3	0	77	0	0
	計	97	8	0	212	4	1	315	0	0
70～74	男	44	5	0	125	10	0	242	0	0
	女	30	4	0	77	7	0	115	0	0
	計	74	9	0	202	17	0	357	0	0
75～79	男	13	1	0	38	3	0	76	0	0
	女	10	0	0	16	0	0	42	0	0
	計	23	1	0	54	3	0	118	0	0
80歳以上	男	5	1	0	22	1	0	39	0	0
	女	8	0	0	12	0	1	27	0	0
	計	13	1	0	34	1	1	66	0	0
合計	男	546	68	0	1,099	31	6	1,234	0	0
	女	243	28	0	523	27	1	405	1	0
	計	789	96	0	1,622	58	7	1,639	1	0

年齢区分	性別	総 合 健 診								
		胸部・肺機能			眼 科			上部消化管		
		経過観察	要精検	要治療	経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	3	0	0	6	0	0	1	0	0
	女	1	0	0	8	0	0	1	0	0
	計	4	0	0	14	0	0	2	0	0
30～34	男	15	1	0	18	0	0	2	0	0
	女	6	0	0	21	1	0	3	0	0
	計	21	1	0	39	1	0	5	0	0
35～39	男	61	3	0	113	2	0	35	0	1
	女	22	0	0	93	2	0	27	2	0
	計	83	3	0	206	4	0	62	2	1
40～44	男	137	7	0	234	6	0	86	5	1
	女	62	1	0	181	4	0	54	0	0
	計	199	8	0	415	10	0	140	5	1
45～49	男	205	6	0	383	16	0	170	10	0
	女	89	3	0	264	8	0	86	3	0
	計	294	9	0	647	24	0	256	13	0
50～54	男	273	11	0	423	33	1	217	5	0
	女	122	3	0	335	11	0	107	3	1
	計	395	14	0	758	44	1	324	8	1
55～59	男	345	21	0	486	18	0	282	12	3
	女	120	5	0	315	8	0	124	3	1
	計	465	26	0	801	26	0	406	15	4
60～64	男	347	19	1	508	27	1	314	10	1
	女	153	6	0	274	19	0	146	2	0
	計	500	25	1	782	46	1	460	12	1
65～69	男	258	10	0	316	30	0	223	11	0
	女	119	4	0	211	12	0	123	2	0
	計	377	14	0	527	42	0	346	13	0
70～74	男	210	10	1	266	17	0	174	15	0
	女	115	8	0	200	9	0	124	0	0
	計	325	18	1	466	26	0	298	15	0
75～79	男	57	5	1	75	4	0	59	6	0
	女	36	3	0	62	3	0	27	4	0
	計	93	8	1	137	7	0	86	10	0
80歳以上	男	31	2	0	31	1	0	27	2	0
	女	20	1	0	20	0	0	15	0	0
	計	51	3	0	51	1	0	42	2	0
合 計	男	1,942	95	3	2,859	154	2	1,590	76	6
	女	865	34	0	1,984	77	0	837	19	2
	計	2,807	129	3	4,843	231	2	2,427	95	8

年齢区分	性別	総 合 健 診								
		糖代謝			便			脂 質		
		経過観察	要精検	要治療	経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	1	0	0	0	0	0	3	2	0
	女	0	0	0	0	0	0	2	0	0
	計	1	0	0	0	0	0	5	2	0
30～34	男	0	0	0	0	1	0	8	3	0
	女	0	1	0	0	0	0	2	3	0
	計	0	1	0	0	1	0	10	6	0
35～39	男	14	4	0	0	10	0	62	7	0
	女	4	0	0	1	2	0	23	0	0
	計	18	4	0	1	12	0	85	7	0
40～44	男	11	9	0	1	15	0	118	21	0
	女	16	3	0	1	4	0	61	4	0
	計	27	12	0	2	19	0	179	25	0
45～49	男	44	8	0	1	14	0	176	47	0
	女	17	2	0	6	9	0	98	9	0
	計	61	10	0	7	23	0	274	56	0
50～54	男	82	16	0	4	19	0	201	35	0
	女	19	4	1	4	14	0	155	23	0
	計	101	20	1	8	33	0	356	58	0
55～59	男	93	15	0	6	32	0	199	30	0
	女	42	5	0	3	9	0	147	24	0
	計	135	20	0	9	41	0	346	54	0
60～64	男	114	15	1	6	35	0	170	19	0
	女	48	4	0	1	13	0	140	23	0
	計	162	19	1	7	48	0	310	42	0
65～69	男	78	7	0	4	28	0	110	11	0
	女	53	6	0	0	11	0	97	11	0
	計	131	13	0	4	39	0	207	22	0
70～74	男	64	4	0	4	17	0	81	8	0
	女	52	2	0	1	11	0	83	8	1
	計	116	6	0	5	28	0	164	16	1
75～79	男	20	4	0	1	7	0	23	4	0
	女	13	1	0	0	3	0	21	2	0
	計	33	5	0	1	10	0	44	6	0
80歳以上	男	12	0	0	0	6	0	11	0	0
	女	8	0	0	0	2	0	9	1	0
	計	20	0	0	0	8	0	20	1	0
合 計	男	533	82	1	27	184	0	1,162	187	0
	女	272	28	1	17	78	0	838	108	1
	計	805	110	2	44	262	0	2,000	295	1

年齢区分	性別	総 合 健 診								
		肝・胆・膵			痛 風			腹部超音波		
		経過観察	要精検	要治療	経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	2	1	0	1	0	0	4	0	0
	女	1	0	0	0	0	0	2	0	0
	計	3	1	0	1	0	0	6	0	0
30～34	男	5	1	0	0	1	0	11	1	0
	女	2	0	0	0	0	0	5	1	0
	計	7	1	0	0	1	0	16	2	0
35～39	男	49	22	0	12	2	0	84	3	0
	女	24	2	0	1	0	0	48	0	0
	計	73	24	0	13	2	0	132	3	0
40～44	男	109	30	0	19	6	0	180	6	0
	女	66	6	0	3	0	0	106	3	0
	計	175	36	0	22	6	0	286	9	0
45～49	男	187	25	0	33	6	0	305	12	0
	女	85	8	0	0	0	0	163	8	0
	計	272	33	0	33	6	0	468	20	0
50～54	男	228	45	0	31	3	0	377	13	0
	女	108	19	0	1	0	0	185	15	0
	計	336	64	0	32	3	0	562	28	0
55～59	男	238	34	0	23	7	0	412	13	1
	女	105	17	0	1	0	0	206	10	0
	計	343	51	0	24	7	0	618	23	1
60～64	男	238	38	0	15	7	0	415	20	0
	女	84	6	0	0	0	0	182	14	0
	計	322	44	0	15	7	0	597	34	0
65～69	男	143	13	0	11	2	1	276	21	0
	女	68	7	0	1	0	0	131	10	0
	計	211	20	0	12	2	1	407	31	0
70～74	男	113	9	0	4	0	0	200	12	0
	女	59	2	0	0	0	0	141	9	0
	計	172	11	0	4	0	0	341	21	0
75～79	男	34	2	0	1	0	0	53	7	0
	女	14	1	0	1	0	0	33	4	0
	計	48	3	0	2	0	0	86	11	0
80歳以上	男	10	0	0	0	0	0	20	1	0
	女	3	0	0	0	0	0	13	2	0
	計	13	0	0	0	0	0	33	3	0
合 計	男	1,356	220	0	150	34	1	2,337	109	1
	女	619	68	0	8	0	0	1,215	76	0
	計	1,975	288	0	158	34	1	3,552	185	1

年齢区分	性別	総合健診					
		血液			尿・腎機能・前立腺		
		経過観察	要精検	要治療	経過観察	要精検	要治療
29歳以下	男	0	0	0	1	0	0
	女	0	0	0	2	0	0
	計	0	0	0	3	0	0
30～34	男	0	0	0	3	2	0
	女	6	0	0	15	0	0
	計	6	0	0	18	2	0
35～39	男	17	3	0	12	3	0
	女	22	9	0	49	5	0
	計	39	12	0	61	8	0
40～44	男	25	4	0	38	10	0
	女	60	12	0	95	9	0
	計	85	16	0	133	19	0
45～49	男	62	9	0	69	14	0
	女	85	22	0	125	6	0
	計	147	31	0	194	20	0
50～54	男	61	14	0	107	26	0
	女	66	12	0	130	16	0
	計	127	26	0	237	42	0
55～59	男	68	18	0	145	43	0
	女	33	6	0	129	16	0
	計	101	24	0	274	59	0
60～64	男	73	6	0	168	54	0
	女	44	2	0	129	19	0
	計	117	8	0	297	73	0
65～69	男	66	13	0	141	35	0
	女	31	3	0	99	12	0
	計	97	16	0	240	47	0
70～74	男	52	8	0	118	41	0
	女	34	2	0	94	16	0
	計	86	10	0	212	57	0
75～79	男	20	4	0	43	15	0
	女	9	1	0	38	4	0
	計	29	5	0	81	19	0
80歳以上	男	15	0	0	22	6	0
	女	5	0	0	18	1	0
	計	20	0	0	40	7	0
合計	男	459	79	0	867	249	0
	女	395	69	0	923	104	0
	計	854	148	0	1,790	353	0

年齢区分	性別	婦 人 健 診						がん検診コース		
		子 宮 が ん 検 査			乳 が ん 検 査			経過観察	要精検	要治療
		経過観察	要精検	要治療	経過観察	要精検	要治療			
29歳以下	男	0	0	0	0	0	0	0	0	0
	女	0	0	0	1	0	0	0	0	0
	計	0	0	0	1	0	0	0	0	0
30～34	男	0	0	0	0	0	0	0	0	0
	女	1	0	0	6	1	0	0	0	0
	計	1	0	0	6	1	0	0	0	0
35～39	男	0	0	0	0	0	0	0	1	0
	女	4	7	0	19	13	0	0	1	0
	計	4	7	0	19	13	0	0	2	0
40～44	男	0	0	0	0	0	0	0	0	0
	女	6	17	0	36	24	0	0	0	0
	計	6	17	0	36	24	0	0	0	0
45～49	男	0	0	0	0	0	0	1	2	0
	女	25	20	0	52	28	0	0	0	0
	計	25	20	0	52	28	0	1	2	0
50～54	男	0	0	0	0	0	0	1	1	0
	女	26	21	0	46	31	0	2	1	0
	計	26	21	0	46	31	0	3	2	0
55～59	男	0	0	0	0	0	0	0	0	0
	女	15	12	0	34	20	0	2	1	0
	計	15	12	0	34	20	0	2	1	0
60～64	男	0	0	0	0	0	0	2	7	0
	女	11	9	0	22	19	0	1	0	0
	計	11	9	0	22	19	0	3	7	0
65～69	男	0	0	0	0	0	0	1	4	0
	女	6	9	0	18	14	0	0	3	0
	計	6	9	0	18	14	0	1	7	0
70～74	男	0	0	0	0	0	0	2	6	0
	女	7	2	0	23	13	0	1	1	0
	計	7	2	0	23	13	0	3	7	0
75～79	男	0	0	0	0	0	0	2	2	0
	女	1	0	0	8	3	0	0	0	0
	計	1	0	0	8	3	0	2	2	0
80歳以上	男	0	0	0	0	0	0	0	1	0
	女	1	0	0	3	1	0	0	1	0
	計	1	0	0	3	1	0	0	2	0
合 計	男	0	0	0	0	0	0	9	24	0
	女	103	97	0	268	167	0	6	8	0
	計	103	97	0	268	167	0	15	32	0